☐ | Generate Collection | | Print |

L12: Entry 3 of 4   File: USPT   Aug 25, 1992

US-PAT-NO: 5142469
DOCUMENT-IDENTIFIER: US 5142469 A

TITLE: Method for converting a programmable logic controller hardware configuration
and corresponding control program for use on a first programmable logic controller
to use on a second programmable logic controller

DATE-ISSUED: August 25, 1992

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Weisenborn; Gerald M.	Ruckersville	VA		

ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE CODE
GE Fanuc Automation North America, Inc.	Charlottesville	VA			02

APPL-NO: 07/ 501612   [PALM]
DATE FILED: March 29, 1990

INT-CL: [05] G06F 9/06, G06F 15/60

US-CL-ISSUED: 364/146; 364/147, 364/DIG.2, 364/927.81, 364/926.9, 364/949, 395/500,
395/919, 395/921, 395/922
US-CL-CURRENT: 700/17; 703/15, 703/24, 706/919, 716/16

FIELD-OF-SEARCH: 364/140-147, 364/DIG.2, 364/DIG.1, 364/2MSFile, 364/9MSFile,
395/919, 395/921, 395/922, 395/920, 395/500

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

| Search Selected | | Search ALL |

	PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
☐	4250563	February 1981	Struger	364/900
☐	4504927	March 1985	Callan	364/900
☐	4677548	June 1987	Bradley	364/200
☐	4849928	July 1989	Hauck	364/900
☐	5038317	August 1991	Callan et al.	364/137 X

ART-UNIT: 236

PRIMARY-EXAMINER: Ruggiero; Joseph

ATTY-AGENT-FIRM: Beusse; James H.

ABSTRACT:

A method is provided for converting a hardware configuration and corresponding control logic program for use on a first programmable logic controller (PLC) to an equivalent hardware configuration and control logic program for use on a second PLC. A graphic representation of hardware modules which are usable with the first PLC are displayed for the user's consideration. The user selects those modules which are actually employed in a particular hardware configuration for the first PLC and a first hardware configuration file is created therefrom. A determination is then made of those second PLC hardware modules which are equivalent to the first PLC hardware modules contained in the first hardware configuration file. This determination is made by referencing a first data base which includes information as to which hardware modules for use on the second PLC are equivalent to corresponding hardware modules for use on the first PLC. A mapping of I/O points from the first PLC to I/O points of the second PLC is then generated. These determining and generating a mapping steps define the second hardware configuration of the second PLC. The method further includes generating a second control program for use with the second PLC from the statements of the first PLC and the mapping of I/O points. This is accomplished by checking each statement of the first control program with a second data base to determine an equivalent statement for the second control program.

9 Claims, 5 Drawing figures

DOCUMENT-IDENTIFIER: US 5142469 A
TITLE: Method for converting a programmable logic controller hardware configuration
and corresponding control program for use on a first programmable logic controller
to use on a second programmable logic controller

Application Filing Date (1):
19900329

Detailed Description Text (10):
FIG. 2 shows a flow diagram of the method for converting the original PLC 10 control
logic program or application to a control logic program or application for the new
target PLC 20. A knowledge based artificial intelligence translator computer program
400, which employs the methodology of artificial intelligence (AI), employs the
following inputs: an original PLC hardware configuration file 410 which is input to
the translator program through operator interaction and which describes the original
PLC 10 hardware and an original PLC 10 control program file 420. Translator program
400 is operator interactive and generates the following as outputs: a cross
reference list 430 of original PLC 10 I/O points and new target PLC 20 I/O points, a
new PLC 20 hardware configuration 440 and an annotated new PLC 20 control program
450.

As to Claim 7: **Mann** et al. teach a method, wherein the step of monitoring activities associated with individual customers includes the step of <u>receiving data from security agencies</u>.

As to Claim **8**: **Mann** et al. teach a method, further comprising the step of <u>applying artificial intelligence</u> engines to cross-reference activities of multiple customers.

As to Claim **9**: **Mann** et al. teach a method further comprising the steps of <u>providing the individual customer with a random multi-digit code</u> for the customer, and
at time of check-in, an agent entering the multi-digit code into a computer which <u>confirms the prior verification</u> of identity.

As to Claim **10**: **Mann** et al. teach a method, further comprising the step of <u>generating a probability of risk</u> associated with the individual customer.

WEST

End of Result Set

☐ | Generate Collection | Print |

L3: Entry 1 of 1   File: USPT   Sep 12, 2000

DOCUMENT-IDENTIFIER: US 6119096 A
TITLE: System and method for aircraft passenger check-in and boarding using iris
recognition

US Patent No. (1):
6119096

Detailed Description Text (26):
FIG. 2 is a flowchart showing a record creation sequence according to the present
invention, which may be implemented using the equipment shown in FIGS. 1a and 1b,
and in particular, the registration station 108. Registration station 108 is
preferably an automated ticketing station, but may also be attended by an operator.
Referring now to FIG. 2, in the first step (block 202), registration station 108
receives information from the user or from an attendant about the type of purchase
desired by the user (for example, a certain number of a selected class of tickets to
a particular event, or a predetermined credit toward transit fares to be incurred).
Payment and/or payment information is obtained, as by the swipe of a credit or debit
card, insertion of cash, or provision of bank account information for debiting
purposes. The sale of the ticket(s), transit fare credit, or the like is then
recorded in database 106 (shown in FIG. 1a).

Detailed Description Text (57):
A preferred process for implementing the system in an air travel application is
shown in FIG. 6. To make a reservation, the user first identifies himself or herself
as a registered customer using an account number or other identifying information,
such as name and address, or preferably a biometric scan, as shown in Block 602.
Next, the reservation information is received (Block 604) and the reservation
information is recorded in conjunction with identification of the relevant user
account (Block 606). Upon arrival at the airport, the user will be scanned at a
biometric scanning station (Block 608). In block 610, the identity of the passenger
is matched to the user account under which the reservations were made. If a match is
found, execution continues at block 612 and the passenger is "checked in," i.e. the
seat assignment is confirmed, luggage is tagged and accepted, and if desired, a
boarding pass is issued. If desired, of course, the system may be used in a manner
which substantially eliminates the issuance of tickets and boarding passes, based on
scanning and verification of user identity at each stage of the luggage check and
retrieval, area access control, and boarding process, where a boarding pass is
traditionally used as identification.

CLAIMS:

42. A method for expedited passenger baggage check and boarding onto an aircraft
using iris recognition, comprising the steps of:

enrolling passengers to create a plurality of passenger account records, each
including an account identifier and iris data sufficient to positively identify the
passenger without requiring further identification;

accepting a flight reservation from a passenger having a passenger account record,
and storing a flight reservation record linked to said account identifier;

providing a first iris identification station at a baggage check location and imaging an iris of a person seeking to check baggage to obtain iris feature information sufficient to positively identify said person without the presence of other forms of identification or tokens;

comparing said iris feature information obtained at said first iris identification station to at least those passenger account records having an associated reservation for a flight to match said person seeking entry to said iris data in one of said passenger account records, and when a matched passenger account record and flight reservation record are identified, tagging and receiving the person's baggage;

providing a second iris identification station at a gate location and imagine the iris of a person seeking to board the aircraft to obtain iris feature information sufficient to positively identify said person without the presence of other forms of identification or tokens;

comparing said iris feature information obtained at said second iris identification station to at least those passenger account records having an associated reservation for a flight to match said person seeking entry to said iris data in one of said passenger account records, and when a matched passenger account record and flight reservation record are identified, permitting the person to board the aircraft without requiring further identification or manipulation of tokens.

55. A method for automated aircraft passenger baggage checking, boarding, and baggage reconciliation using iris recognition, comprising the steps of:

enrolling passengers to create a plurality of passenger account records, each passenger account record including an account identifier and biometric iris data sufficient to positively identify the passenger without requiring further identification;

accepting a flight reservation from a passenger having a passenger account record, and storing a flight reservation record linked to said account identifier, said flight reservation record including a seat assignment;

providing a first iris recognition station at a baggage check location and imaging an iris of a person seeking to check baggage to obtain iris feature information sufficient to positively identify said person without the presence of other forms of identification;

comparing said iris feature information to at least those passenger account records having an associated reservation for a flight to match said person seeking entry to a passenger account record, and when a matched passenger account record and flight reservation record are identified, tagging and receiving the baggage;

providing a second iris identification station at a gate location and imagine an iris of a person seeking to board the aircraft to obtain iris feature information sufficient to positively identify said person without the presence of other forms of identification;

permitting a passenger with a matched passenger account record and flight reservation record at the second iris identification station to board the aircraft without requiring further identification; and

automatically reconciling records of baggage checked at said first iris identification station with records of passenger boarding at said second iris identification, station to identify baggage which was checked but whose owner did not board the aircraft, so that such baggage does not go with the aircraft.

[ ]   Generate Collection | Print |

L15: Entry 1 of 1   File: USPT   Jun 12, 2001

US-PAT-NO: 6246975
DOCUMENT-IDENTIFIER: US 6246975 B1
** See image for Certificate of Correction **

TITLE: Computer architecture and process of patient generation, evolution, and simulation for computer based testing system

DATE-ISSUED: June 12, 2001

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Rivonelli; Richard J.	Lexington	KY		
Sumner, II; Walton	Webster Groves	MO		
Marek; Victor W.	Lexington	KY		
Truszczynski; Miroslaw	Lexington	KY		

ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE CODE
American Board of Family Practice, Inc.	Lexington	KY			02

APPL-NO: 08/ 961185   [PALM]
DATE FILED: October 30, 1997

PARENT-CASE:
RELATED APPLICATIONS This application claims priority from U.S. provisional patent application entitled COMPUTER ARCHITECTURE AND PROCESS FOR PATIENT GENERATION, EVOLUTION, AND SIMULATION, Ser. No. 60/029,856, to Rovinelli, et al., filed Oct. 30, 1996, the details of which are hereby incorporated by reference.   .

INT-CL: [07] G06 G 7/48

US-CL-ISSUED: 703/11; 434/262, 128/920
US-CL-CURRENT: 703/11; 128/920, 434/262

FIELD-OF-SEARCH: 395/600.32, 705/2, 705/3, 434/262, 128/920, 128/923, 128/924, 128/925, 703/6, 703/11

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

| Search Selected | | Search ALL |

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
3008000	November 1961	Morchand	178/5.6
3484950	December 1969	Serrell et al.	35/9
3537190	November 1970	Serrell et al.	35/9
4360345	November 1982	Hon	434/262
4547161	October 1985	Manning	434/358
4797104	January 1989	Laerdal et al.	434/265
4978305	December 1990	Kraft	434/353
5002491	March 1991	Abrahamson et al.	434/322
5011413	April 1991	Ferris et al.	434/358
5033969	July 1991	Kamimura	434/322
5059127	October 1991	Lewis et al.	434/353
5103408	April 1992	Greenberg et al.	364/550
5141439	August 1992	Cousins et al.	434/178
5180309	January 1993	Egnor	434/323
5195033	March 1993	Samph et al.	364/419
5204813	April 1993	Samph et al.	364/419
5211564	May 1993	Martinez et al.	434/323
5219291	June 1993	Fong et al.	434/323
5240419	August 1993	deGyarfas	434/322
5574828	November 1996	Hayward et al.	706/45
5594638	January 1997	Iliff	705/3
5644686	July 1997	Hekmatpour	706/45
5660176	August 1997	Iliff	128/630
5680590	October 1997	Parti	703/11
5687716	November 1997	Kaufmann et al.	128/630
5853292	December 1998	Eggert et al.	434/262
5956501	September 1999	Brown	703/11
6021404	February 2000	Moukheibir	706/46
6049794	April 2000	Jacobs et al.	706/45

OTHER PUBLICATIONS

International Search Report PCT/US00/08942.
Wen-Jenq et al., "Educational Patient Simulation in MEDASPC", Proc. of the 1994 IEEE Seventh Symp. on Computer-Based Medical Systems, pp. 88 -93, Jun. 1994.*
Badler et al., "MdiSim: Simulated Medical Corpsman and Casualties for Medical Forces Planning and Training", Proc. National Forum on Military Telemedicine On-line Today, pp. 21-28, Mar. 1995.*
Hohne et al., "A 'Virtual Body' Model for Surgical Education and Rehersal", Computer, Vol. 29, Issue 1, pp. 25 -31, Jan. 1996.*
Kaplan et al., "Designing Support for Remote Intensive-care Telehealth Using the Locales Framework", Proc. Designing Interactive Systems: Processes, practices, method, and techniques, pp. 173 -184, Aug. 1997.*
Binder et al., "A Computer Based Interactive Learning and Reference Tool for

Tranthoracic Echocardiographic Images", Computers in Cardiology 1995, pp. 617-620, Sep. 1995.*

"Shelley -computer-aided knowledge engineering", by Anjo Anjewierden et al., Knowledge Acquisition (1992), pp. 109-125.

"Automated Integration of External Databases: A Knowledge-Based Approach to Enhancing Rule-Based Expert Systems", by Lewis Berman et al., Computers and Biomedical Research 26, (1993), pp. 230-241.

"Use of a Domain Model to Drive an Interactive Knowledge-Editing Tool", by Mark A. Musen et al., Knowledge Systems Laboratory Report KSL-87-24, (1987).

"Automatic Test Case Generation by Modeling Patient States and Physician Actions", by Leslie E. Perreault, Knowledge Systems Laboratory Report KSL-87-63, (1987).

"From Expert Models to Expert Systems: Translation of an Intermediate Knowledge Representation", by David M. Combs et al., Knowledge Systems Laboratory Report KSL-88-58, (1988).

"Model-Based Interpretation of Time-Varying Medical Data", by Michael G. Kahn et al., Knowledge Systems Laboratory Report KSL-89-34, (1989).

"PSY/JD: An Advisory System for Legal Aspects of Decision Making in the Psychiatric Emergency Room", by David H. Millis, M.D., Knowledge Systems Laboratory Report KSL-90-54 (1990).

"A Model for Critiquing Based on Automated Medical Records", by Johan van der Lei, et al., Knowledge Systems Laboratory Report KSL-91-18 (1991).

"Action-Based Fault Hierarchies for Real-Time Response", by David Ash et al., Knowledge Systems Laboratory Report KSL 92-05 (1992).

"A Temporal-Abstraction System for Patient Monitoring" by Yuval Shahar et al., Knowledge Systems Laboratory Report KSL-92-14 (1992).

"Graph-Grammar Productions for the Modeling of Medical Dilemmas" by John W. Egar et al., Knowledge Systems Laboratory Report KSL-92-15, (1992).

"Augmented Trasition Networks as a Representation for Knowledge-Based History-Taking Systems" by Alex Poon et al., Knowledge Systems Laboratory Report KSL-92-20, (1992).

"Modeling Tasks with Mechanisms" by Angel R. Puerta et al., Knowledge Systems Laboratory Report KSL-92-30, (1992).

"Use of KADS to Create a Conceptual Model of the ONCOCIN Task" by Marc Linster et al., Knowledge Systems Laboratory Report KSL-92-36, (1992).

"RESUME: A Temporal-Abstraction System for Patient Monitoring" by Yuval Shahar et al., Knowledge Systems Laboratory Report KSL-93-57, (1994).

"Mapping Domains to Methods in Support of Refuse" by John H. Gennari et al., Knowledge Systems Laboratory Report KSL-93-57, (1994).

"A Component-Based Architecture for Automation of Protocol-Directed Therapy", by Mark A. Musen et al., Knowledge Systems Laboratory Report KSL 95-28 (1995).

"Critiquing Physician Decision Making Using Data from Automated Medical Records: Assessing the Limitations" by J. van der Lei et al., Fourteen Annual Symposium on Computer Applications in Medical Care, pp. 559-563, Washington DC, Nov. 1990.

"Representation and Use of Temporal Information in ONCOCIN"by M.G. Kahn et al., Knowledge Systems Laboratory Report KSL-85-8 (1987).

"An Adaption of Item Modeling for Developing Test-Item Banks" by Judy A. Shea et al., Teaching and Learning in Medicine, vol. 4, no. 1, pp. 19-24 (1992).

"Distance health care is latest medicine" by Margaret Ryan, Electronic Engineering Times, pp. 55-56, Apr. 29, 1996.

"Intelligent Tutoring Systems: A Review" by D. Sleeman, School of Education & Dept. of Computer Science, Stanford University.

"Building the Computer-Based Patient Record" by Joseph Norman, Knowledge Systems Laboratory Report KSL-95-24 (1995).

"A Programming Course in Bioinformatics for Computer and Information Science Students" by Russ B. Altman et al., Knowledge Systems Laboratory Report KSL-95-64 (1995).

"Kutato: An Entropy-Driven System for Construction of Probabilistic Expert Systems from Databases" by Edward Herskovits et al., Knowledge Systems Laboratory Report KSL-90-22, (1990).

"Ontology-Based Configuration of Problem-Solving Methods and Generation of Knowledge-Acquisition tools: Application of PROTEGE-II to Protocol-Based Decision Support" by Samson W. Tu et al., Knowledge Systems Laboratories Report KSL-94-22 (1994).

"Reusable Ontologies, Knowledge-Aquisition Tools, and Performance Systems: PROTEGE-II Solutions to Sisyphus-2" by Thomas E. Rothenfluh et al., Knowledge Systems Laboratory Report KSL-93-65 (1994).

"Model-Based Generation of User Interfaces" by Angel R.Puerta et al., Knowledge Systems Laboratory Report KSL-94-51 (1994).

"Reuse with Protege-II: From Elevators to Ribosomes" by John H. Gennari et al.,

Knowledge Systems Laboratory Report KSL-94-71 (1995).
"Synthesis of UNIX Programs using Derivational Analogy" by Sanjay Bhansali et al., Knowledge Systems Laboratory Report KSL-92-02 (1992).
"Automated Support for Building and Extending Expert Models" by Mark A. Musen, Knowledge Systems Laboratory Report KSL-86-26 (1989).
"Interactive Diagnosis and Repair of Decision-Theoretic Models" by David A. Klein et al., Knowledge Systems Laboratory Report KSL-90-19 (1992).
"Creation of a Systematic Domain for Medical Care: The Need for a Comprehensive Patient-Description Vocabulary" by Keith E. Campbell et al., Knowledge Systems Laboratory Report KSL-91-60 (1991).
"Temporal-Abstraction Mechanisms in Management of Clinical Protocols" by Yuval Shahar et al., Knowledge Systems Laboratory Report KSL-91-19 (1991).
"Rational Metareasoning and Compilation for Optimizing Decisions under Bounded Resources" by Eric J. Horvitz, Knowledge Systems Laboratory Report KSL 89-81 (1990).

"An Empirical Analysis of Likelihood-Weighting Simulation on a Large, Multiply-Connected Belief Network" by Michael Shwe et al., Knowledge Systems Laboratory Report KSL-90-23 (1992).
"A Computer Program for Statistically Based Decision Analysis" by Jeanette X. Polaschek, et al., Knowledge Systems Laboratory Report Report KSL-90-50 (1990).
"Comparison of Computer-Aided and Human Review of General Practitioners' Management of Hypertension" by Johan van der Lei et al., Lancet 338; 1504-1508, Dec. 14, 1991.
"A Problem-Solving Model for Protocol-Based Care: From e-ONCOCIN to EON" by Mark A. Musen et al., Knowledge Systems Laboratory Report KSL-91-61 (1991).
"Conceptual Models for Automatic Generation of Knowledge-Acquisition Tools" by Henrik Eriksson et al., Knowledge Systems Laboratory Report KSL-92-28 (1993).
"Languages for Knowledge Acquisition: Building and Extending Models" by Mark A. Musen, Knowledge Systems Laboratory Report No. KSL-89-07 (1989).
"PROTEGE-II: Computer Support for Development of Intelligent Systems From Libraries of Components" by Mark A. Musen et al., Knowledge Systems Laboratory Report KSL-94-60 (1994).
"Generation of Knowledge-Acquisition Tools from Domain Ontologies" by Henrik Eriksson et al., Knowledge Systems Laboratory Report KSL-93-56 (1994).
"Knowledge-Based Temporal Abstraction in Clinical Domains" by Yuval Shahar et al., Knowledge Systems Laboratory Report KSL-95-23 (1995).
"A Framework for Knowledge-Based Temporal Abstraction" by Yuval Shahar et al., Knowledge Systems Laboratory Report KSL-95-29 (1995).
"Learner Adaptivity in Generic Industrial Strategies" by Kris Van Marcke et al., Knowledge Technologies N.V., pp. 323-337.
"Scoring a Performance-Based Assessment by Modeling the Judgements of Experts" by Brian E. Clauser et al., Journal of Educational Measurement, Winter 1995, vol. 32, no. 4, pp. 397-415.
"Intelligent Frameworks for Instructional Design" by J. Michael Spector et al., Educational Technology, Oct. 1992, pp. 21-27.
"Constraint Satisfaction with a Multi-Demensional Domain" by Masazumi Yoshikawa et al., C&C Systems Laboratories, NEC Corporation, Japan, pp. 252-259.
"An Advanced toward Instructional Management: Prescriptive Knowledge Base of Learner Control" by Jaesam Chung, Indiana University, pp. 1-9.
"An Intelligent Support System for Course Design" by Gilbert Paquette et al., Educational Technology, Nov.-Dec. 1994, pp. 50-57.
"Ontological Issues of CSCL Systems Design" by Mitsuru Ikeda et al., ISIR, Osaka University, Osaka Japan, pp. 242-249.
"A Multi-Agent Approach to Model Student Reasoning Process" by Stephane Leman et al., IREMIA, Universite de La Reunion, France, pp. 258-264.
"Toward a Computational Model of Tutoring" by Beverly Park Woolf, ETR&D, vol. 40, no. 4, pp. 49-64.
"Generic Tasks in Knowledge-Based Reasoning: High-Level Building Blocks for Expert System Design" by B. Chandrasekaran, Ohio State University, IEEE, Fall 1986.
"A generic task model for instruction" by Kris Van Marcke, Knowledge Technologies N.V., Brussels, Belgium, pp. 171-194.
"Utilizing OODB Schema Modeling for Vocabulary Management" by Huanying (Helen) Gu et al., CIS Dept. & CMS NJIT, Newrak, NJ pp. 274-278.
"Bayesian Networks without Tears" by Eugene Charniak, AI Magazine, 1991, pp. 50-63.
"Database and Knowledge Base Integration -A Data Mapping Method for Arden Syntax Knowledge Modules" by B. Johansson et al., Methods of Information in Medicine, 1996; 35; 302-308.
"Knowledge Acquisition for Temporal Abstraction" by Adam Stein et al., 1996 AMIA, Inc., pp. 204-208.
"Galapagos: Computer-Based Support for Evolution of a Convergent Medical

Terminology" by Keith E. Campbell, MD et al., 1996 AMIA, Inc., pp. 269-273.
"Knowledge-based Approaches to the Maintenance of a Large Controlled Medical
Terminology" by James J. Cimino, MD et al., Journal of the American Medical
Informatics Association Association, vol. 1, no. 1, Jan/Feb 1994, pp. 35-50.
"Knowledges Sources for Natural Language Processing" by Robert H. Baud, PhD et al.,
1996 AMIA, Inc., pp. 70-74.
"Managing Information with SNOMED: Understanding the Model" by David J. Rothwell et
al.,1996 AMIA, Inc., pp. 80-83.
"Mapping the GALEN CORE Model to SNOMED-III: Initial Experiments" by P.M. Pole et
al., 1996 AMIA, Inc., pp. 100-104.
"Mapping Medical Vocabularies to the Unified Medical Language System" by Qing Zenx,
et al., 1996 AMIA, Inc., pp. 105-109.
"Modeling Principles for QMR Medical Findings" by Anne-Marie Rassinoux et al., 1996
AMIA, Inc., pp. 264-268.
"Natural Language Processing and the Representation of Clinical Data" by Noami
Sager, et al., Journal of the American Medical Informatics Association, vol. 1, no.
2, Mar/Apr 1994, pp.142-160.
"Natural Language Processing in Medicine: An Overview" by P. Spyns, Methods of
Information in Medicine 1996; 35 pp. 285-301.
"Phase II Evaluation of Clinical Coding Schemes: Completeness, Taxonomy, Mapping,
Definitions and Clarity" by James R. Campbell et al., Dept. of Internal Medicine,
Univ. of Nebraska.
"Review Paper: Coding Systems in Health Care" by J. J. Cimino, Methods of
Information in Medicine 1996; 35 pp. 273-284.
"Scalable and Expressive Medical Terminologies" by Eric Mays et al., 1996 AMIA,
Inc., pp. 259-263.
"Standards for Medical Indentifiers, Codes, and Messages Needed to Create an
Efficient Computer-stored Medical Record" by Board of Directors of the American
Medical Informatics Association, Journal of the American Medical Inoformatics
Association, vol. 1, no. 1, Jan/Feb 1994, pp. 1-7.
"The Efficacy of SNOMED, Read Codes, and UMLS in Coding Ambulatory Family Practice
Clinical Records" by H.C. Mullins et al., 1996 AMIA, Inc., pp. 135-139.
"The Explanatory Role of Events in Causal and Temporal Reasoning in Medicine" by F.
Buekens et al., Methods of Information in Medicine 1993; 32: 274-278.
"The Unified Medical Language System" by D. A. B. Lindberg et al., Methods of
Information in 1993; 32: 281-291.
"Graphical Access to Medical Expert Systems: I. Design of a Knowledge Engineer's
Interface" by S. Tsuji et al, Knowledge Systems Laboratory Reprt KSL-85-15 (1986).
"Graphical Access to Medical Systems: II. Design of an Interface for Physicians" by
C.D. Lane et al, Knowledge Systems Laboratory Report KSL-85-15 (1986).
"Task Modeling with Reusable Problem-Solving Methods" by Henrik Eriksson et al.,
Knowledge Systems Laboratory Report KSL-92-43 (1993).
"T-HELPER:Automated Support for Community-Based Clinical Research" by Mark A. Musen
et al., Knowledge Systems Laboratory Report KSL-92-08 (1992).
"Use of KADS to Create a Conceptual Model of the ONCOCIN Task" by Marc Linster et
al., Knowledge Systems Laboratory Report KSL-92-36 (1992).
"Patient-Specific Explanation in Models of Chronic Disease" by Holly B. Jimison et
al., Knowledge Systems Laboratory Report KSL-92-60 (1992).
"Toward Normative Expert Systems: Part I the Pathfinder Project" by D.E. Heckerman
et al., Knowledge Systems Laboratory Report KSL-92-66 (1992).
"A methodology for Determining Patients' Eligibility for Clinical Trials" by S.W. Tu
et al., Knowledge Systems Laboratory Report KSL-92-78 (1992).
"Integrated Clinical Decision Support Using an Object-Oriented Database Management
System" by R.D. Frost et al., Methods of Information in Medicine 1993; 32: 154-160.
"PROTEGE-II: Computer Support for Development of Intelligent Systems from Libraries
of Components" by M.A. Musen et al., MEDINFO 95 Proceedings, 1995 IMIA.
"Expert system reasoning about dynamics systems by semi-quantitative simulation" by
Lawrence E. Widman, Computer Methods and Programs in Biomedicine, 29 (1989) pp.
95-113.
"Representation of Preferences in Decision-Support Systems" by Brad R. Farr et al.,
Computers and Biomedical Research 25, 324-335 (1992).
"Graphical Access to Medical Expert Systems: IV. Experiments to Determine the Role
of Spoken Input" by E. Isaacs et al., Methods of Information in Medicine 1993;32:
pp. 18-32.
"A method for quantitative evaluation of expert systems" by Fateman Zahedi, European
Journal of Operational Research 48 (1990) pp. 136-147.
"The representation of uncertainty in medical expert systems" by Christopher Hughes,
Med. Inform. (1989), vol. 14, no. 4, pp. 269-279.
"The implementation and evaluation of a theory for high level cognitive skill

acquisition through expert systems modeling techniques" by Richard J. Koubek, Ergonomics, 1989, vol. 32, no. 11, pp. 1419-1429.

"Empirical evaluation of decision tables for constructing and comprehending expert system rules" by Lucino Santos-Gomez et al., Knowledge Acquisition (1992) vol. 4, pp. 427-444.

"Exercise countermeasure protocol management expert system" by Laurie Webster et al., Computer Methods and Programs in Biomedicine, 39 (1993) pp. 217-223.

"Rule Based artificial intelligence expert system for determination of upper extremity impairment rating" by Ian Lim et al., Computer Methods and Programs in Biomedicine, 39 (1993), pp. 203-211.

"Methodological foundations of KEATS, the Knowledge Engineer's Assistant" by Enrico Motta et al., Knowledge Acquisition (1991) vol. 3, pp. 21-27.

"Metatool support for custom-tailored, domain-oriented knowledge acquisition" by Henrik Eriksson, Knowledge Acquisition (1992), vol. 4, pp. 445-476.

"Coupling Vocabularies and Data Structures: Lessions from LOINC.TM." by Roberto A. Rocha et al., 1996 AMIA, Inc., pp. 90-94.

"A Language of Health in Action: Read Codes, Classifications and Groupings" by C.D.G. Stuart-Buttle et al., 1996 AMIA, Inc., pp. 75-79.

"A Framework for Modeling the Electronic Medical Record" by A.L. Rector et al., Methods of Information in Medicine 1993, 32: 109-119.

"COLERIDGE: Composition Learning Enviroment for Reflection about Intentions and Dialogue Goals in Education" by John Cook, School of Technology and Informations Studies, Thames Valley University, Ealing, London.

"Developing a Research Reference Interface for Knowledge-Based Instructional Design Tools" by Zhongmin Li, et al., Educational Technology/Aug. 1991.

"Understanding Students' Solutions in SYPROS" by Christian Herzog, AI-ED 95 -Poster Session.

"Computer Technology and Complex Problem Solving: Issues in the Study of Complex Cognitive Activity" by Linda Zech et al., EARLI, 1995 Symposium.

"A framework for building agent-based learning environments" by Pentti Hietala et al., University of Tampere, Dept. of Computer Science, Finland.

"A framework for knowledge base refinement through multistrategy learning and knowledge acquisition" by Gheorghe Tecuci et al., Knowledge Acquisition (1994) 6, pp. 137-162.

"Learning Companion Systems, Social Learning Systems, and Intelligent Virtual Classrooms" by Tak-Wai Chan, Dept. of Computer Science and Information Engineering, National Central University, Taiwan.

"Pop Class Intelligent Tutoring Systems: Shell, Toolkit & Design Technology" by V.A. Goodkovsky et al., Moscow State Institute for Physics and Engineering.

"A Blackboard-Approach to a Knowledge Based Tutoring System for Linear Programming" by Andreas Born et al., Institute fur Informatik/WWZ, Switzerland.

The Future of Computer-Managed Instruction (CMI) by A.S. Gibbons et al., Educational Technology, May 1993, pp. 7-11.

"Contribution to negotiation studying: a knowledge items approach" by Pierre Jambaud et al., LIRMM, UMR CNRS-UM2 n 9928, Montpellier Cedex.

"The Intelligent Learning Support System on the Distributed Cooperative Environment" by Toshio Okamoto et al., The Graduate School of Information Systems, University of ElectroCommunications, Tokyo Japan.

"Constructivist Uses of Expert Systems to Support Learning" by David H. Jonassen, Journal of Computer-Based Instruction, Summer 1993, vol. 20, no. 3, pp. 86-94.

"An Historical Perspective and a Model for Evaluation of Intelligent Tutoring Systems" by Robert J. Seidel, J. Educational Computing Research, vol. 10(2) pp. 103-128, 1994.

"Incorporating Student Models in Adaptive Testing Systems" by Avram Eskenasi, Educational & Training Technology International, May 1993, vol. 30, no. 2, pp. 135-143.

"Ontological Issues of CSCL Systems Design" by Mitsuru Ikeda et al.., Osaka University, Osaka Japan.

"Episodic Skeletal-Plan Refinement Based on Temporal Data" by S.W. Tu et al., Knowledge Systems Laboratory Report KSL-87-70 (1989).

"From Laboratory to Test Booklet: Using Expert-Novice Comparisons to Guide Design of Performance Assessments" by Irwin R. Katz, presented at 1994 Annual Meeting of AERA.

"TQuery: A Context-Sensititve Temporal Query Language" by Michael g. Kahn et al., Computers and Biomedical Research 24, 401-419 (1991).

"New role of a medical documentation system" by G. Miaoulis et al., Me. Inform. (1992), vol. 17, no. 3, pp. 165-178.

"A System for Using Time Dependent Data in Patient Management" by Thomas A. Russ, MEDINFO 86, Elsevier Science Publishers B.V., 1986.

"Streamlining for Managed Care" by Charles Culhane, American Medical Newsletter.
"Object-orientated DBMS techniques for time-oriented medical record" by F. Pinciroli et al., Med. Inform. (1992), vol. 17, no. 4, pp. 231-241.
"Clinical Versus Actuarial Judgement" by Robyn M. Dawes et al., Science, Mar. 31, 1989, vol. 243, pp. 1668-1674.
"The Validity of an Essay Test of Clinical Judgement" by Susan C. Day et al., Academic Medicine, vol. 65, no. 9, Sept. Supplement 1990.
"Framing Bias among Expert and Novice Physicians" by Caryn Christensen et al., Academic Medicine, vol. 66, no. 9, Sept. Supplement 1991.
"Beyond Multiple-choice Questions and Essays: The Need for a New Way to Assess Clinical Comptetence" by Arthur S. Elstein, Academic Medicine, vol. 68, no. 4, Apr. 1993.
"Medical Problem Solving" by Arthur S. Elstein et al., Evaluation & The Health Professions, vol. 13, no. 1, Mar. 1990.
"The Computerized Patient Record" by Scott Wallace, BYTE, May. 1994.
"The Furor Over Data on Doctors: You Bet Your Life. Do You Know the Odds?", New York Times, 5/29/94.
"Artificial Intelligence in Medicine" by William B. Schwartz, et al., Sounding Board, vol. 316, no. 11, pp. 685-688.
"Auditing the Disaster Recovery Plan" by Ken Doughty, EDPACS, Sept. 1993, vol. XXI, no. 3.
"Computers as Clinicians: An Update" by Benjamin Kleinmuntz, Comput. Biol. Med., vol. 22, no. 4, pp. 227-237, 1992.
"Do computerized patient records risk invading patient privacy more than paper records?" by K.A. Frawley, Nov. 5, 1993.
"Framing the Primary Care Physician" by Anthony LaDuca, AAFP Primary Care Competencies Conference, Jun. 4, 1994.
Fact Sheet, UMLS Semantic Network, U.S. Dept. of Health and Human Services, Nov. 1991.
Fact Sheet, Unified Medical Language System.TM., U.S. Dept. of Health and Human Services, Jan. 1993.
"The Unified Medical Language System (UMLS)" by Dr. Bishop, M.D. Computing, vol. 9, no. 4, 1992.
"Knowledge-based Processing of Medical Language: A Language Engineering Approach" by Martin Schroder, Uni. of Hamburg, Germany,.
"How Representative of Typical Practice Are Practice-Based Research Networks?" by Larry A. Green et al., Arch Fam Med. vol. 2, Sept. 1993.
"A Performance and Failure Analysis of SAPHIRE with a MEDLINE Test Collection" by William R. Hersh et al., Journal of the American medical Informatics Association, vol. 1, no. 1, Jan/Fed. 1994.
"Understanding and Using the Medical Subject Headings (MeSH) Vocabulary to Perform Literature Searches" by Henry J. Lowe et al., JAMA, Apr. 13, 1994, vol. 271, no. 14.

"Representing Medical Knowledge -The Arden Syntax" by Lisa Lewinson, PC AI, July/August 1994.
"Standards for Medical Identifiers, Codes, and Messages Needed to Create and Efficient Computer-stored Medical Record" by Board of Directors of the American Medical Informatics Association, Journal of the American Medical Informatics Assoc., vol. 1, no. 1, Jan/Feb. 1994.
"Canadian Specialty Examinations: Considerations for the Future" by W.J. Becker, Annals RCPSC, vol. 27, no. 7, Oct. 1994.
"Decision Analysis: A Progress Report" by Jerome P. Kassirer et al., Annals of Internal Medicine, 1987; 106:275-291.
"Ranking Radiotherapy Treatment Plans Using Desicion-Analytic and Heuristic Techniques" by Nilesh L. Jain et al., Computers and Biomedical Research, vol. 25, pp. 374-383 (1992).
"Medical Progress -Decision Analysis" by Stephen G. Pauker et al., The New England Journal of Medicine, vol. 316, no. 5, Jan. 29, 1987.
"Intelligent Dialogue Based on Statistical Models of Clinical Decision-Making" by D.M.G. McSherry, Statistics in Medicine, vol. 5, 497-502 (1986).
"Ostacles to acceptance of clinical desicion analysis" by J.I. Balla et al., BJM, vol. 298, Mar. 4, 1989.
"The Analytic Hierarchy Process in Medical Decision Making: A Tutorial" by James G. Dolan et al., Medical Decision Making, vol. 9, no. 1, Jan-Mar 1989.
"Automated Critiquing of Medical Decision Trees" by Michael P. Wellman et al., Medical Decision Making, vol. 9, no. 4, Oct-Dec 1989.
"Stochastic Thresholds" by Arthur Hartz et al., Medical Decision Making, vol. 6, no. 3, Jul-Sept. 1986.
"Evaluating Physicians' Probabillistic Judgements" by Poses et al., Medical Decision

Making, vol. 8, no. 4, Oct-Dec 1988.
"Decision Theoretic Methodology for Severity Index Developement Methodology" by David H. Gudtafson et al., Medical Decision Making, vol. 6, no. 1, Jan-Mar 1986.
"A Pittfall in Utility Assessment -Patients' Undisclosed Investment Decisions" by Jorgen Hilden et al., Medical Decision Making, vol. 12, no. 1, Jan-Mar 1992.
"Quality-adjusted Life Years, Utility Theory, and Healthy-years Equivalents" by Abraham Mehrez, et al., Medical Decision Making, vol. 9, no. 2, Apr-Jun 1989.
"The Computer-Based Patient Record and Confidentiality" by Beverly Woodward, The New England Journal of Medicine, vol. 333, no. 21, Nov. 23, 1995.
"Specifying Adverse Drug Reactions by Formulating Contexts Through CLARIT Processing of Medical Abstracts" by Floor Rikken et al., Dept. of Social Pharmacy and Pharmacoepidemiology, University of Groningen, The Netherlands.
"Alternate Approaches to a UMLS" by Charles W. Bishop, Medical Decision Making, vol. 11, no. 4, Oct-Dec 1991 Supplement.
"The Decision of the Postgres Storage System" by Michael Stonebraker, EECS Dept., University of California, Berkeley, CA.
A diagnostic method that uses casual knowledge and linear programming in the application of Bayes' formula by Gregory F. Cooper, Computer Methods and Programs in Biomedicine, vol. 22, (1986) 223-237.
"Analysis of Probability as an Aid in the clinical Diagnosis of Coronary-Artery Disease" by George A. Diamond et al., The New England Journal of Medicine, vol. 300, no. 24, Jun. 14, 1979.
"Use of Linear Models to Analyze Physicians' Decisions" by Robert S. Wigton, Medical Decision Making, vol. 8, no. 4, Oct-Dec 1988.
"Representation Method for Dynamic Casual Knowledge Using Semi-Quantitive Simulation" by Lawrence E. Widman, MEDINFO86, Elsevier Science Publishers (1986).
"From Termiunology to Terminology Services" by W.A. Nowlan et al, 1994 AMIA, Inc.
"Goals for Concept Representation in the GALEN Project" by A.L. Rector et al, 1994 AMIA, Inc.
"Medical-concept Models and Medical Records: An Approach Based on GALEN and PEN&PAD" by A.L. Rector et al, Journal of the American Medical Informatics Association, vol. 2, no. 1, Jan/Feb 1995.
"The Canon Group's Effort: Working Toward a Merged Model" by Carol Friedman et al, Journal of the American Medical Informatics Association, vol. 2, no. 1, Jan/Feb 1995.
"Automated diagnostic indexing by natural language processing" by Y. Satomura et al, Med. Inform. (1992), vol. 17, no. 3, pp. 149-163.
"A Specialized Framework for Medical Diagnostic Knowledge-Based Systems" by G. Lanzola et al., Computers and Biomedical Research, vol. 25, pp. 351-365 (1992).
"A feature dictionary supporting a multi-domain medical knowledge base" by Frank Naeymi-Rad, Computer Methods and Programs in Biomedicine, vol. 30 (1989), pp. 217-228.
"Data representation for subsequent image interpretation" by M.G. Cawley et al., Med. Inform. (1991), vol. 16, no. 2, pp. 125-136.
"The effect of incomplete knowledge on the diagnoses of a computer consultant system" by P.S. Heckerling et al., Med. Inform. (1991), vol. 16, no. 4, pp. 363-370.

"KBSIM: a system for interactive knowledge-based simulation" by M. Hakman et al., Computer Methods and Programs in Biomedicine, vol. 34, (1991), pp. 91-113.
"Integrating a medical database and advisory system" by O. M. Goodyear et al., Med. Inform. (1991), vol. 16, no. 3, pp. 315-321.
"Representing Medical Knowledge: Reconciling the Present or Creating the Future?" by Charles W. Bishop et al., M.D. Computing, vol. 9, no. 4, 1992.
"Rationale for Knowledge Base Redesign in a Medical Advice System" by Mark Musen et al., Knowledge Systems Laboratory Report KSL 85-17.
"Hierarchical Pattern Matching for Knowledge Based News Cateregorization" by Luca Gilardoni et al., Quinary SpA, Milano Italy.
"A Mathematical Overview of a Computer Simulation Model of Maternity Histories with IIIustrative Examples" by C.J. Mode, IMA Journal of Mathematics Applied in Medicine & Biology (1984), vol. 1, pp. 107-121.
"Effectiveness of Multiple True-False Items" by Clarence D. Kreiter, Applied Measurement in Education, 2(3), 207-216.
"Test Results Depend on Response Format" by Gerald J. Cason, Office of Educational Development, Univ. of Arkansas for Medical Sciences, vol. 6, No. 8, Dec. 1980.
"The Failure of Distractors on Complex Multiple-Choice Items to Prevent Guessing" by Rosemarie K. Kolstad, Educational Research Quarterly, vol. 8, No. 2, 1983.
"A Taxonomy of Multiple-Choice Item-Writing Rules" by Thomas M. Haladyna, Applied Measurement in Education, 2(1), 37-50 (1989).
"Describing Medicine and Generating Patients with Parallel Health State Networks" by

Walton Sumner, II et al., Division of General Medical Sciences, Dept. of Internal Medicine, Washington University, St. Louis, Missouri.
"A Revolution in the Assessment of Clinical Knowledge" by Walton Sumner II et al., JABFP, Jan.-Feb. 1996, vol. 9, no. 1.
"Algorithms for knowledge acquisition and patient generation" by Victor Marek et al., University of Kentucky, Mar. 29, 1996.
"Research and Development Issues for a Computer-Based Testing Project for the American Board of Family Practice" by Richard J. Rovinelli, Psychometric Consultant.

"A review of Iliad and QMR for primary care providers" by Walton Sumner, II, Program in Medical Information Science, Dartmouth Medical School.
"Data Transformations for Patient Simulations" by Walton Sumner, II et al., presented at Proceedings of the Nineteenth Annual Symposium on Computer Applications in Medical Care, New Orleans, LA Nov. 1995.
"Designing a knowledge base to support family practice certification examinations" by Walton Sumner et al., presented at Proceedings of the Seventeenth Annual Symposium on Computer Applications in Medical Care, Washington, D.C., 1993.
"Knowledge acquisition techniques for decision analysis using AOTL and AQUINAS" by J.M. Bradshaw, et al., Knowledge Acquisition (1991) 3, pp. 49-77.
"Towards a second generation knowledge acquisition tool" by Marc Linster, Knowledge Acquisition (1989) 1, pp. 163-183.
"Issues in the Development of Intelligent Tutoring Systems" by Marc McLeish et al., Dept. of Computing & Information Science, Univ. of Guelpoh, Ontario, May 1987.
"Interactive Video and Artificial Intelligence: Convenient Marriage" by Midoro et al., PLET 25, 4.
"Multimedia Clinical Simulation based on Patient Records: Authoring, User Interface, Pedagogy" by R. M. Felciano et al., Knowledge Systems Laboratory Report KSL-94-43 (1994).

ART-UNIT: 273

PRIMARY-EXAMINER: Teska; Kevin J.

ASSISTANT-EXAMINER: Sergent; Douglas W.

ATTY-AGENT-FIRM: Donner; Irah H. Hale and Dorr LLP

ABSTRACT:

A computer implemented simulation and evaluation method simulates interventions to a patient by a user, and evaluates the interventions responsive to predetermined criteria and the interventions. The method includes defining a test area to evaluate the user to at least one of predetermined criteria and a user profile, selecting genetic information of the patient responsive to the test area, and generating a patient history responsive to the test area and the genetic information. The method also includes receiving at least one intervention input by the user, and evaluating the user responsive to the intervention and predetermined criteria.

51 Claims, 18 Drawing figures

L15: Entry 1 of 1   File: USPT   Jun 12, 2001

DOCUMENT-IDENTIFIER: US 6246975 B1
** **See image for Certificate of Correction** **
TITLE: Computer architecture and process of patient generation, evolution, and
simulation for computer based testing system

Application Filing Date (1):
19971030

Brief Summary Text (14):
We have further determined that experts generally not only relate to one dimension
of knowledge when defining a rule, but also rely upon expansive knowledge of how
systems work (i.e., physiology and pathophysiology in the medical domain) in
performing real-world problem-solving. See, for example, Davis R., Expert systems:
where are we and where do we go from here, AI Magazine, 1983, Vol. 3, pages 3-22,
incorporated herein by reference. This realization has led to re-thinking regarding
structure of knowledge-based systems to reflect the tasks such a system should
accomplish, the methods the system should use to accomplish the tasks, and the
knowledge required to support these methods. See, for example, David J M, Krivine J
P, Simmons R., Second generation expert systems: a step forward in knowledge
engineering, In: David J M, Krivine J P, Simmons R., Second Generation Expert
Systems, Springer Verlag, New York, N.Y. 1993, pages 3-23, incorporated herein by
reference.

Brief Summary Text (19):
Each health state in turn has associated findings, and specific findings. For
example, the Normal Airways state, the Finding "Shortness of Breath" is instantiated
with the Specific Finding "No shortness of breath." Similarly, other Findings such
as Respiratory Function and Severe Asthma Attack Frequency are instantiated with
corresponding normal Specific Findings (Normal Respiratory Functions, and No Severe
Attacks.) This representation transports to each new health state in a manner which
we have determined to be analogous to diagnosis. See, for example, Genesereth M.,
Diagnosis using hierarchical design models, Proc. National Conference on AI, 1982,
incorporated herein by reference.

Detailed Description Text (17):
In general, a model describes the kinds of information that could be collected
regarding a topic. For instance, a model of a mailing address should include at
least a name, street address, apartment number, city, state, and ZIP code. A
database built upon this model could list these items for each entry. Not every item
in the model should be described for every entry in the database; many addresses
have no apartment number. Incomplete database entries still provide useful
information; even if a street address is missing, the city to search can be found.

Detailed Description Text (75):
The model described herein is intended to be a highly structured and realistic
representation of family medicine that will guide the design of the family practice
knowledge base and support the generation and evaluation of recertification
examinations. In this model, the following are strong assumptions: (1) Health States
are discrete and distinguishable on the basis of associated Findings, which are also
discrete and distinguishable on the basis of the Patterns of their Features. (2)
After choosing a percentile curve in a Pattern to represent some value, the
percentile does not change substantially. (3) Changes in Patterns (e.g., the
probability of one Health State evolving to another) can be described for important
combinations of risk factors, interventions, and time of occurrence. (4) Transitions

from one Pattern to another can be estimated by simple means. (5) Modifying relations do not have important interactions with one another. (6) Highly developed anatomic and physiologic models are not necessary, because associations between Findings provide the same information.

Detailed Description Text (82):
We have also determined that the structure of an interface to medical reference systems might be enhanced using the model. Current reference systems use the structure of medical publications and lists of abstracted subject headings to facilitate searches through very large databases. These searches can yield large numbers of extraneous citations, especially for novice users.

Detailed Description Text (83):
The model suggests an alternative indexing strategy, as well as a graphical search interface. For instance, one could view a query interface similar to FIG. 3. To request a query about the effect of insulin treatment on the development of retinopathy in diabetic patients, one selects diabetes from an unrestricted list of Health States. The Lead to allows the user to select diabetic retinopathy from a list of diseases restricted to diabetic sequelae. The Modifier specifies which Course of Action or Agent of Change to consider. The computer delivers a list of references mentioning insulin in a diabetes Leads to diabetic retinopathy relation. Searching for a particular relation between two entities improves the efficiency of searches usually performed by naming the entities.

Detailed Description Text (137):
The leads to relation connects one health condition (the precursor) to another (the target), and describes possible time intervals required for evolution from the precursor to the target. A Pattern describes a probability density function (pdf) of these time intervals, conditioned on comorbidities, treatments, and other risk factors. This duration pdf provides a time constraint mechanism. For instance, a duration pdf for the progression of mild to moderate knee osteoarthritis, given obesity, might indicate a probability density of zero in the first five years following the onset of mild osteoarthritis, a uniform probability density from year five to year twenty, and then a probability of zero. This implies that all simulated obese patients develop moderate osteoarthritis between five and twenty years after the onset of mild osteoarthritis, and forbids simulated onsets at other times.

Other Reference Publication (1):
International Search Report PCT/US00/08942.

Other Reference Publication (148):
"Understanding and Using the Medical Subject Headings (MeSH) Vocabulary to Perform Literature Searches" by Henry J. Lowe et al., JAMA, Apr. 13, 1994, vol. 271, no. 14.

CLAIMS:

28. A computer implemented simulation and evaluation method for simulating interventions including active and passive intervention to a complex system, such as a patient having a set of normal and abnormal conditions such as a health state, by a user, and for evaluating the interventions responsive to predetermined criteria and the interventions, comprising the steps of:

(a) accessing the computer implemented simulation and evaluation method by the user;

(b) defining a test area to evaluate the user by the computer implemented simulation and evaluation method responsive to at least one of predetermined criteria and a user profile;

(c) selecting genetic information of the patient responsive to the test area;

(d) generating a patient history responsive to the test area and the genetic information;

(e) receiving at least one intervention input by the user; and

(f) evaluating, the user responsive to the at least one intervention input by the user and the predetermined criteria;

wherein said generating step (d) further comprises the step of generating the patient history responsive to the test area, the genetic information, and an entity relationship model; and

wherein the entity relationship model utilizes tree structures to describe a probability density function conditioned on comorbidities, treatments, risk factors, and the interventions.